

# TRIPLE CROWN® GROWTH

## 15% Protein • 10% Fat • 15% Fiber • 1,620 KCAL/lb.

A high fat, high fiber diet for foals and young horses up to two years of age, late gestation and lactating broodmares, and breeding stallions; fortified to provide protein, essential amino acids, vitamins, macro minerals, trace minerals, bacteria and enzymes.

IDEAL FOR: Weanlings, yearlings, broodmares and breeding stallions

Guaranteed Analysis:	
Crude Protein (min.)	Zinc (min.)
Lysine (min.) 0.90%	Manganese (min.) 150 ppm
Methionine (min.) 0.27%	Cobalt (min.)
Threonine (min.) 0.69%	Copper (min.)
Tryptophan (min.) 0.21%	Iron (min.)
Leucine (min.) 1.10%	Vitamin A (min.)
Crude Fat (min.) 10.00%	Vitamin D3 (min.)
Crude Fiber (max.) 15.00%	Vitamin E (min.)
ADF (max.)	Riboflavin (min.)
NDF (max.)	Thiamin (min.)
Calcium (min./max.) 1.10/1.60%	Ascorbic Acid (min.)
Phosphorus (min.) 0.70%	Biotin (min.)
Magnesium (min.) 0.50%	Total Direct Fed Microbials (min.)
Potassium (min.) 1.10%	Lactobacillus Acidophilus Fermentation Product (min.) 908 million CFU/lb.
Sodium (min./max.) 0.40/0.75%	Enterococcus Faecium Fermentation Product (min.) 908 million CFU/lb.
Salt (min./max.) 0.30/0.70%	Bacillus Subtilis Dried Fermentation Product (min.) 26 million CFU/lb.
Omega-3 Fatty Acids (min.) 0.60%	Saccharomyces Cerevisiae Yeast Culture (min.) 1.80 billion CFU/lb.
Omega-6 Fatty Acids (min.)	Cellulase (Trichoderma Longibrachiatum) (min.) 0.68 million CU/lb.
Selenium (min./max.) 0.60/1.50 ppm	Protease (Bacillus Subtilis) (min.)**

<sup>\*</sup>One cellulase unit (CU) is defined as the amount of activity that will produce a relative fluidity change of 1 (determined with a calibrated viscometer) in 5 minutes in a defined carboxymethylcellulose substrate at pH 4.5 and 40°C"

## Ingredients:

### (Free from Restricted Ruminant Protein Products per Title 21, CFR 589.2000/2001)

Dehydrated Alfalfa Meal, Whole Oats, Shredded Beet Pulp, Soybean Hulls, Wheat Middlings, Cane Molasses, Dehulled soybean meal, Distillers Dried Grains, Soybean Oil, Whole Roasted Soybeans, Ground Flaxseed, Stabilized Rice Bran, Calcium Carbonate, Monocalcium Phosphate, Dicalcium Phosphate, Magnesium Oxide, Yeast Extract, Yeast Culture, Hydrolyzed Yeast, Dried Enterococcus Faecium Fermentation Product, Dried Lactobacillus Acidophilus Fermentation Product, Dried Bacillus Subtilis Fermentation Extract, Dried Bacillus Subtilis Fermentation Extract, Zinc Hydroxy Chloride, Manganese Hydroxy Chloride, Copper Hydroxy Chloride, Vegetable Oil, Butyric Acid, Zinc Oxide, Peppermint Essential Oil, Kelp Meal, Lecithin, Magnesium Proteinate, Selenium Yeast, L-Lysine, DL-methionine, L-Threonine, L-Leucine, Salt, Sodium Bicarbonate, Fenugreek Seed, Anise, Ascorbic Acid (Source of Vitamin C), Niacin Supplement, Biotin, Vitamin A Supplement, Vitamin E Supplement, Thiamine Mononitrate, Beta Carotene, Calcium Pantothenate, Riboflavin Supplement, Pyridoxine Hydrochloride, Vitamin B12 Supplement, Vitamin D3 Supplement, Choline Chloride, Menadione Sodium Bisulfite Complex (Source of Vitamin K Activity), Folic Acid, Hydrated Sodium Calcium Aluminosilicate, Brewers Dried Yeast, Manganese Sulfate, Zinc Sulfate, Copper Sulfate, Cobalt Proteinate, Iron Amino Acid Complex, Ethylenediamine Dihydroiodide, (Propionic Acid, Sodium Benzoate, Potassium Sorbate (Preservatives)).

### **Feeding Directions:**

Triple Crown Growth should be fed to growing horses along with free access to good quality pasture and/or hay, fresh clean water and plenty of free exercise. For nursing foals, feed 1% of body weight up to 400 lb. For weanlings and older, the amount of Triple Crown Growth fed daily should be adjusted to maintain a moderate body condition level. If not sure how much to feed, begin with 6-8 lb. per day divided into as many feedings as feasible and then adjust up or down depending upon the needs of the individual horse. If feeding less than 5 lb. of Triple Crown Growth on a regular basis due to easy maintenance of desired body condition, then 0.5-1 lb. per day of Triple Crown Balancer should also be fed in combination with Triple Crown Growth as means to insure adequate mineral and vitamin intakes to support sound growth. For ponies, feed half of the recommendations listed above for horses.

**NOTE:** Provide plenty of fresh, clean water at all times. Keep product fresh in cool, dry storage. Examine product daily. DO NOT use if old, moldy or contaminated with insects.



<sup>\*\*</sup> One hemoglobin unit (HUT) of proteolytic (protease) activity is defined as that amount of enzyme that produces, in one minute under the specified conditions, a hydrolysate whose absorbance at 275nm is the same as that of a solution containing 1.10g per mL of tyrosine in 0.006N hydrochloric acid.