

SENIOR HORSE FEED

The textured feed for the special nutritional needs of older horses.

SUPPORTS DIGESTION, PERFORMANCE, AND APPEARANCE ADDED FAT HELPS MAINTAIN BODY CONDITION



MINIMUM FEEDING RATE

Recommended minimum feeding rates are found by matching the expected mature body weight and the status of the horse in the table below.

EXPECTED MATURE BODY WEIGHT	250 lb	500 lb	1,000 lb	1,500 lb	2,000 lb
MAINTENANCE/LAY UP	2.0	3.5	7.5	11.0	14.5
LIGHT EXERCISE/WEIGHT GAIN	2.5	4.5	9.0	13.5	18.0
MODERATE EXERCISE	3.0	6.0	11.5	17.5	23.0

MINIMUM POUNDS OF FEED PER DAY

Feed hay/pasture at a rate of 1-1.5% of body weight daily. Salt should be available free choice. Fresh clean water should be available at all times. Store feed in a clean, dry, well-ventilated area protected from rodents and insects. Do not feed moldy or insect-infested feed to animals. Consult with a veterinarian for a recommended diet.

GUARANTEED ANALYSIS

Conta Bustata (orta)	14.000/
Crude Protein (min.)	
Lysine (min.)	
Methionine (min.)	
Threonine (min.)	
Tryptophan (min.)	
Crude Fat (min.)	
Omega-3 Fatty Acids (min.)	
Omega-6 Fatty Acids (min.)	
Crude Fiber (max.)	
Acid Detergent Fiber (max.)	
Neutral Detergent Fiber (max.)	
Dietary Starch (max.)	
Sugars (max.)	
Calcium (min.)	0.80%
Calcium (max.)	
Phosphorus (min.)	0.60%
Sodium (min.)	0.20%
Sodium (max.)	0.70%
Ash (max.)	10.00%
Magnesium (min.)	0.40%
Potassium (min.)	1.00%
Sulfur (min.)	0.20%
Copper (min.)	50 ppm
Selenium (min.)	0.50 ppm
Selenium (max.)	
Zinc (min.)	150 ppm
Iron (min.)	
Manganese (min.)	
lodine (min.)	
Cobalt (min.).	
Vitamin A (min.).	
Vitamin D (min.)	
Vitamin E (min.).	
Riboflavin (min.)	
Thiamine (min.).	
Biotin (min.).	
Ascorbic Acid (min.).	
Saccharomyces Cerevisiae (min.)	
Total Microbial Count* (min.)	
Protease (Bacillus Subtilis)** (min.)	
Alpha-Amylase (Bacillus Licheniformis)*** (min.)	
Aipria-Arriyiase (Dacillus Licherillorrills) (IIIII.)	200 0/10

INGREDIENTS

Dehydrated Alfalfa Meal, Dried Plain Beet Pulp (16.00%), Soybean Hulls (15.00%), Cane Molasses, Wheat Middlings, Dehulled Soybean Meal, Soybean Oil, Ground Limestone, Monocalcium Phosphate, Dicalcium Phosphate, Salt, Lignin Sulfonate, DL-Methionine, Magnesium Oxide, L-Threonine, L-Lysine, Flaxseed, Propionic Acid (a Preservative), Active Dry Yeast, Choline Chloride, Yeast Culture, Vitamin E Supplement, Iron Amino Acid Complex, Sodium Bicarbonate. Sodium Sulfate, Anise Seed, Sodium Citrate (with Ascorbic Acid, Citric Acid and Sodium Metabisulfite as Preservatives), Brewers Dried Yeast, Vitamin D3 Supplement, Dried Bacillus Subtilis Fermentation Product, Sodium Selenite, Dried Bacillus Licheniformis Fermentation Product, Dried Kelp, Hydrolyzed

Yeast, L-Tryptophan, Ferrous Sulfate, Manganese Amino Acid Complex, Zinc Sulfate, Zinc Amino Acid Complex, Copper Amino Acid Complex, Cobalt Glucoheptonate, Dried Trichoderma Reesei Fermentation Product, Manganese Sulfate, Ascorbic Acid, Biotin, Copper Sulfate, Dried Lactobacillus Acidophilus Fermentation Product, Dried Lactobacillus Casei Fermentation Product, Dried Bifidobacterium Thermophilum Fermentation Product, Dried Enterococcus Faecium Fermentation Product, Folic Acid, Selenium Yeast, Thiamine Mononitrate, Vitamin A Acetate, Riboflavin Supplement, Cobalt Sulfate, Ethylenediamine Dihydroiodide, Vitamin B12 Supplement, Niacin Supplement, d-Calcium Pantothenate, Pyridoxine Hydrochloride.

Contains a source of live (viable) naturally occurring microorganisms.

- *Bacillus subtilis, Bacillus licheniformis, Trichoderma reesei, Lactobacillus acidophilus, Lactobacillus casei, Bifidobacterium thermophilum, Enterococcus faecium
- **One protease unit liberates 1 μ mol of tyrosine per minute under the conditions of the assay.
- ***One Thermostable Amylase Unit (TAU) is the quantity of enzyme converting 1.0 mg of starch (100% of dry matter) per minute in standardized conditions.

States of Arizona and California: Suncured Alfalfa Meal is used in place of Dehydrated Alfalfa Meal

PROELITEHORSEFEED.COM